

L Number	Hits	Search Text	DB	Time stamp
1	8949	(carboxylic or diol) and remov\$ near10 impurit\$ and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 10:50
2	8949	(carboxylic or diol) and remov\$ near10 impurit\$ and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 10:51
3	76	(carboxylic or diol) near50 remov\$ near10 impurit\$ near30 solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 10:51
5	17	(carboxylic or diol) near10 remov\$ near10 impurit\$ near20 solvent near10 glycol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:02
6	0	(carboxylic or diol) near10 remov\$ near10 impurit\$ near20 solvent near10 glycol and stream and byproduct	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:01
7	24	(carboxylic or diol) near10 remov\$ near10 impurit\$ near30 solvent and glycol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:02
8	24	(carboxylic or diol) near10 remov\$ near10 impurit\$ near30 solvent and glycol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:03
9	1	(carboxylic or diol) near10 remov\$ near10 impurit\$ near30 solvent and glycol and cake	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:03
10	6	(carboxylic or diol) near10 remov\$ near10 impurit\$ near30 solvent and glycol and (vessel or mixer or screw or reactor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:09
11	0	(carboxylic or diol) near10 remov\$ near10 impurit\$ near30 solvent and glycol and (vessel or mixer or screw or reactor) and vapor near2 seal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:15
12	0	(carboxylic or diol) near10 remov\$ near10 impurit\$ near30 solvent and glycol and (vessel or mixer or screw or reactor) and vapor near4 seal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:11
13	0	(carboxylic or diol) near20 remov\$ near20 impurit\$ near30 solvent and glycol and (vessel or mixer or screw or reactor) and vapor near4 seal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:12
15	0	(carboxylic or diol) near20 remov\$ near20 impurit\$ and glycol and (vessel or mixer or screw or reactor) and vapor near4 seal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:13

16	0	(carboxylic or diol) near200 remov\$ near200 impurit\$ and glycol and (vessel or mixer or screw or reactor) and vapor near4 seal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:13
17	1	(carboxylic or diol) and remov\$ near200 impurit\$ and glycol and (vessel or mixer or screw or reactor) and vapor near4 seal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:15
18	0	remov\$ near100 impurit\$ and glycol and (vessel or mixer or screw or reactor) and vapor near2 seal and "6372387"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:19
19	0	remov\$ near200 impurit\$ and glycol and (vessel or mixer or screw or reactor) and vapor near2 seal and "6372387"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:20
20	0	remov\$ near200 impurit\$ and glycol and (vessel or mixer or screw or reactor) and vapor near2 seal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:20
14	50	(carboxylic or diol) and glycol and (vessel or mixer or screw or reactor) and vapor near4 seal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:22
21	18	(carboxylic or diol) and glycol and (vessel or mixer or screw or reactor) and vapor near2 seal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:25
22	13	(carboxylic or diol) and glycol and (vessel or mixer or screw or reactor) and vapor near seal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:25
4	46	(carboxylic or diol) near10 remov\$ near10 impurit\$ near20 solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:38
23	0	(carboxylic or diol) near10 remov\$ near10 impurit\$ near20 solvent and parker	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:38
24	3	(carboxylic or diol) near200 remov\$ near200 impurit\$ and parker	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:38
25	22	(carboxylic or diol) and remov\$ near200 impurit\$ and parker	US-PGPUB	2004/07/06 11:39
26	75	(carboxylic or diol) and remov\$ and impurit\$ and parker	US-PGPUB	2004/07/06 11:39



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

(removING OR REMOVE OR REMOVED) AND

Search

[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)
The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)
"seal" (and any subsequent words) was ignored because we limit queries to 10 words.

Web Results 1 - 10 of about 27 for (removING OR REMOVE OR REMOVED) AND impuriTIES and glycol and (

[PDF] CLASS 422 CHEMICAL APPARATUS AND PROCESS DISINFECTING, DEODORIZING

...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... of agent other than aldehyde or **glycol** 30 ..And ... 137 ...Horizontal reaction chamber with **screw** or worm ... surface and means mechanically **removing** product therefrom ...

www.uspto.gov/go/classification/uspc422/sched422.pdf - [Similar pages](#)

[PDF] March 2002 CLASSIFICATION DEFINITIONS 422 - 1 CLASS 422, CHEMICAL

...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... apparatus for disinfecting, deodorizing, preserving, or sterilizing when steps or means are claimed in combination.) 34, Drying and Gas or **Vapor** Contact With ...

www.uspto.gov/go/classification/uspc422/defs422.pdf - [Similar pages](#)

PTO Manual of Classification for US patents

... of extended surface, fluid contact means **removing** particulate **impurities** from reactant ... 267

...Including means to **remove** solids from a filter 268 ...

www.ibiblio.org/patents/class/CLASS422.html - 26k - [Cached](#) - [Similar pages](#)

US Patent Class 422-- CHEMICAL APPARATUS AND PROCESS DISINFECTING ...

... of extended surface, fluid contact means **removing** particulate **impurities** from reactant ... 267,

DF, ~.~. Including means to **remove** solids from a filter. ...

www.patentec.com/data/class/422.html - 66k - [Cached](#) - [Similar pages](#)

[doc] Table of Contents

File Format: Microsoft Word 2000 - [View as HTML](#)

... a 74 gal/min water filter that removes **impurities** from city ... HF needs to be **removed** because it is corrosive to ... HF and an evaporator EV-300 to **remove** salts formed ...

www-personal.engin.umich.edu/~durquhar/Final%20Report%20Doug.doc - [Similar pages](#)

[PDF] Heuristics in Chemical Chemical Chemical Chemical Engineering ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... greatly by the presence of **impurities** and of ... but the relative volatilities do not, **remove** the components ... 8. Spray dryers: Surface moisture is **removed** in about ...

students.aiche.org/pdfs/heuristics.pdf - [Similar pages](#)

[PDF] Assessment of Polymers and Resins Industry

File Format: PDF/Adobe Acrobat

... installed a filter which **removed** enough **impurities** to make ... Once **removed** from the reaction vessel(s), this process ... may also be filtered to **remove** contaminants. ...

www.dtsc.ca.gov/PollutionPrevention/assessment-polymers-resins-industry.pdf - [Similar pages](#)

5179734 Threaded interpretive data processor 395/800 5179733 ...

... for measuring impurity concentration and **removing impurities** from electrolytic ... and process of **removing** gaseous and ... Filtration system to **remove** photoresist film ...

www.theworld.com/obi/Patents/Titles/930112 - 101k - [Cached](#) - [Similar pages](#)

[PDF] [Energy Efficiency Improvement and Cost Saving Opportunities for ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... If hops are used, they can be **removed** after boiling ... In order to **remove** the hot break, the boiled wort ... water only) or multiple-stage (ambient water and **glycol**). ...

eetd.lbl.gov/ea/ies/iespubs/50934.pdf - [Similar pages](#)

[PDF] [Technical Manual - Section 3 \(Safety Hazards\)](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... have been used to **remove** nonhydrocarbons, **impurities**, and other ... It is also desirable to **remove** trace amounts ... These salts must be **removed** or neutralized before ...

www.cbs.state.or.us/external/ osha/pdf/techman/tecman3.pdf - [Similar pages](#)

Google

Result Page: 1 [2](#) [Next](#)

(removING OR REMOVE OR REMOVED) AND impurITIES

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

PALM INTRANET

Day : Tuesday
 Date: 7/6/2004
 Time: 10:25:09

Inventor Name Search Result

Your Search was:

Last Name = PARKER

First Name = KENNY

Application#	Patent#	Status	Date Filed	Title	Inventor Name 7
<u>10758678</u>	Not Issued	030	01/15/2004	PROCESS FOR PRODUCTION OF A CARBOXYLIC ACID/DIOL MIXTURE SUITABLE FOR USE IN POLYESTER PRODUCTION	PARKER, KENNY RANDOLPH
<u>10758676</u>	Not Issued	020	01/15/2004	PROCESS FOR PRODUCTION OF A DRIED CARBOXYLIC ACID CAKE SUITABLE FOR USE IN POLYESTER PRODUCTION	PARKER, KENNY RANDOLPH
<u>10383126</u>	Not Issued	041	03/06/2003	PROCESS FOR PRODUCTION OF A CARBOXYLIC ACID/DIOL MIXTURE SUITABLE FOR USE IN POLYESTER PRODUCTION	PARKER, KENNY RANDOLPH
<u>07987043</u>	Not Issued	168	12/07/1992	TOY ARTICLES OF MANUFACTURE COMPRISING SPONTANEOUSLY WETTABLE FIBERS	PARKER , KENNY R.
<u>07987040</u>	Not Issued	168	12/07/1992	SUBSTRATE COMPRISING A FABRIC MATERIAL CONTAINING SPONTANEOUSLY WETTABLE FIBERS	PARKER , KENNY R.
<u>07986933</u>	Not Issued	168	12/08/1992	SUBSTRATE COMPRISING A FABRIC MATERIAL CONTAINING SPONTANEOUSLY WETTABLE FIBERS	PARKER , KENNY R.
<u>07986837</u>	5346422	150	12/08/1992	TOY ARTICLES OF MANUFACTURE COMPRISING SPONTANEOUSLY WETTABLE FIBERS	PARKER , KENNY R.

[Skip to content](#)

[Start new search](#) [Search these results](#)

Search:

Any Department

POLYMER AND REACTOR AND REMOVING

[Help](#) [Advanced](#)

Tip: Putting a - immediately in front of a term excludes any results with that term.

Example: printers, -"dot matrix"

Spelling suggestion: polymers AND REACTOR AND REMOVING


Results for: POLYMER AND REACTOR AND REMOVING **Document count:** POLYMER (14)
+REACTOR (11) +REMOVING (23)

1 results found, sorted by relevance

[score using date](#) [hide summaries](#)
[group by location](#)

☐ 1-1 ☐

Class Schedule for Class 526 SYNTHETIC RESINS OR NATURAL RUBBERS -- PART OF THE CLASS 520 ...

48% 

15 Mar 04

... POLYMERIZING IN **REACTOR** OF SPECIFIED MATERIAL, OR IN **REACTOR** IN WHICH SURFACE CONTACTING POLYMERIZING MATERIAL HAS BEEN TREATED ... **REMOVING** AND RECYCLING REMOVED MATERIAL FROM AN ONGOING POLYMERIZATION ZONE TO A ...

[Find Similar](#)

[Highlight](#)

<http://ptoweb3.uspto.gov/patents/classification/uspc526/sched526.htm> - 221.8KB - Index of Schedules

[score using date](#) [hide summaries](#) [group by location](#)

☐ 1-1 ☐